MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA

ENTOMOLOGICAL SERIES

Volume VII

AGRICULTURAL RESEARCH INSTITUTE, PUSA

PRINTED AND PUBLISHED FOR
THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

BY
THACKER, SPINK & CO., CALCUTTA
W. THACKER & CO., 2, CREED LANE, LONDON

ackd.
21·3·27.

PRINTED BY
THACKER, SPINK & CO
CALCUTTA

5021

CONTENTS

Volume VII

		Page
No. 1.	Felt, E. P. New Indian Gall Midges (*Diptera*)	1
No. 2.	Fraser, F. C. Description of a Rhinocyphine Larva from Shillong (with one plate)	13
No. 3.	Felt, E. P. Indian Grass Gall Midges	15
No. 4.	Felt, E. P. New Indian Gall Midges (*Itonididæ*) (with one text-figure)	23
No. 5.	Dutt, G. R. Three New Wasps from India (with two plates)	29
No. 6.	Sen, S. K. Life-histories of Indian Insects. Diptera: *Sphyracephala hearseiana*, Westw. (with two plates, of which one coloured)	33
No. 7.	Fraser, F. C. New and Rare Indian Odonata in the Pusa Collection (with one text-figure and three plates) ..	39
No. 8.	Fraser, F. C. Further Notes on *Rhinocypha* Larvæ (with two plates)	79
No. 9.	Senior-White, Ronald. Notes on Indian Diptera. (1) Diptera from the Khasia Hills. (2) Tabanidæ in the Collection of the Forest Zoologist. (3) New Species of Diptera from the Indian Region (with one text-figure and five plates)	83
No. 10.	Ballard, E. *Platyedra gossypiella*, Saund., The Pink Boll-Worm, in South India, 1920-21 (with three plates) ..	171
No. 11.	Hebard, Morgan. Studies in Indian Dermaptera (with three plates)	195
No. 12.	Ballard, E. Further Notes on *Pempheres affinis*, Fst. (The Cotton Stem Weevil) (with two text-figures and four plates, of which one coloured)	243
No. 13.	Ballard, E. An Account of Experiments on the Control of *Siga* (*Schœnobius*) *incertellus* in the Godavari Delta (with five text-figures)	257

NEW GENERA AND SPECIES BROUGHT FORWARD IN THIS VOLUME.

(New Forms in *italics*)

HYMENOPTERA.

Sphegidæ.

Gorytes *confusus*, p. 29.
Crabro *flavo-nigra*, p. 30.

Eumenidæ.

Alastor *punjabensis*, p. 30.

DIPTERA.

Itonididæ (Cecidomyiadæ)

Asphondylia *lantanae*, p. 2.
„ *phyllanthi*, p. 2.
„ *pongamiæ*, p. 24.
„ *osbeckiæ*, p. 107.
Schizomyia *assamensis*, p. 3.
Contarinia *caudata*, p. 4.
„ *andropoginis*, p. 25.
Mycodiplosis *indica*, p. 5.
Diadiplosis *indica*, p. 6.
Raodiplosis (p. 6); *orientalis*, p. 7.
Orseoliella *apludæ*, p. 8.
„ *graminis*, p. 22.
Itonida *penniseti*, p. 9.
„ *seminis*, p. 25.
Horidiplosis fici, p. 10.
Cecidomyia *penniseti*, p. 10.
„ *artocarpi*, p. 27.
Dyodiplosis *indica*, p. 19.
„ *monticola*, p. 20.
„ *plumosa*, p. 20.
Camptomyia *ricini*, p. 23.

Mycetophilidæ.

Sciara *brunniventris*, p. 108.
„ *fletcheræ*, p. 109.
„ *hirtilineatoides*, p. 110.
„ *khasiensis*, p. 111.
Ceroplatus *notaticoxa*, p. 112.
Platyura *juxta*, p. 113.
„ *lunifrons*, p. 114.
Mycomyia *unifascipennis*, p. 115.
Azana *asiatica*, p. 116.
Manota *orientalis*, p. 117.
Exechia *albicincta*, p. 119.
„ *brevicornis*, p. 120.
„ *longicornis*, p. 120.
„ *flava*, p. 121.
„ *mirastoma*, p. 122.
„ *paramirastoma*, p. 123.
Mycetophila *khasiensis*, p. 124.

Psychodidæ.

Pericoma metatarsalis *khasiensis*, p. 124.

Simulidæ.

Simulium *latistriatum*, p. 129.
„ *pattoni*, p. 129.
„ *gurneyæ*, p. 130.

Tipulidæ.

Dicranomyia *nitidithorax*, p. 131.
Libnotes *immaculipennis*, p. 132.
„ *distincta*, p. 133.
Rhipidia *zeylanica*, p. 134.
Erioptera *incompleta*, p. 135.
Acyphona *indica*, p. 136.
Gonomyia *conjugens*, p. 137.
Amalopis *novempunctata*, p. 138.
Limnophila *fletcheri*, p. 139.
„ *multipunctipennis*, p. 140.

Rhyphidæ.

Olbiogaster *zeylanicus*, p. 141.

Tabanidæ.

Tabanus *kakhyenensis*, p. 143.
Hæmatopota *beesoni*, p. 145.
„ *demellonis*, p. 146.
„ *burmanica*, p. 147.

EMPIDÆ.

Tachydromia *zeylanica*, p. 148.
Elaphropeza *plumicornis*, p. 150.
„ *notatithorax*, p. 151.
„ *abdominenotata*, p. 151.
„ *distincta*, p. 152.
„ *nigropunctata*, p. 152.

PHORIDÆ.

Aphiochæta *flavifacioides*, p. 153.
Phorhynchus *cinctiventris*, p. 154.

TRUPANEIDÆ (TRYPETIDÆ).

Mellesis *polistiformis*, p. 156.
Staurella *luteifasciata*, p. 158.
„ *zeylanica*, p. 159.
Rioxa *punctatipleura*, p. 160.
Tephritis *tribulicola*, p. 161.
Trypanea *pentadactyla*, p. 164.

DIOPSIDÆ.

Teleopsis *bipunctipennis*, p. 165.

MUSCIDÆ.

Idiella *euidielloides*, p. 166.
Euidiella discolor *nigripes*, p. 167.
„ *nila*, p. 168.
Metallea *flavibasis*, p. 168.

DERMAPTERA.

PYGIDICRANIDÆ.

Diplatys *bicoloripes*, p. 196.
Cranopygia *pluto*, p. 200.

LABIADÆ.

Chætospania *kurseongæ*, p. 215.

FORFICULIDÆ.

Exypnus *koorgensis*, p. 218.
Proreus *fletcheri*, p. 221.
Forficula *lebongæ*, p. 226.
Sadiya (p. 230); *grata*, p. 232.
Prosadiya (p. 233); *tricota*, p. 234.
Pareparchus *pelvimeter*, p. 236.
Eparchus *inermis*, p. 237.

ODONATA.

CŒNAGRIONIDÆ.

Drepanosticta *viridis*, p. 39.
Caconeura *theebawi*, p. 40.
„ *botti*, p. 41.
„ *nigra*, p. 42.
„ *autumnalis*, p. 43.
Disparoneura *campioni*, p. 43.
Esme (p. 44); *cyaneo-vittata*, p. 45.
Pseudagrion *williamsoni*, p. 46.
„ *spencei*, p. 47.
„ *laidlawi*, p. 48.
Indagrion gautama, p. 50.
Aciagrion *azureum*, p. 51.
Agriocnemis *clauseni*, p. 53.
Melanoneura bilineata, p. 55.
Pseudocopera arachnoides, p. 56.
Indolestes (p. 57); *indica*, p. 58.
„ *helena*, p. 60.

AGRIONIDÆ.

Rhinocypha *beesoni*, p. 61.
„ *bifenestrata*, p. 63.
„ quadrimaculata *hemihyalin* p. 64.

LIBELLULIDÆ.

Idionyx corona *nilgiriensis*, p. 65.
Macromia *atuberculata*, p. 67.

ÆSHNIDÆ.

Platygomphus *martini*, p. 68.
Stylogomphus (p. 69); *inglisi*, p. 70.
Leptogomphus *spirillus*, p. 71.
Gomphus *bicornutus*, p. 72.
„ *risi*, p. 73.
Onychogomphus *echinoccipitalis*, p. 74.
Gynacantha *bainbriggei*, p. 75.
„ *hanumana*, p. 76.

INDEX.

Names in italics *are synonyms. Page references marked with an asterisk indicate references to figures in this volume.*

A

abdominenotata, Elaphropeza, 151.
Acalyptrata from Khasi Hills, 95.
acer (acris), Forficula.
Aciagrion azureum, 51.
Acrania picta, 199.
acris, Forficula, 228.
Acyphona indica, 90, 136.*
Adiathetus tenebrator, 223.
admotella, Catagela (Siga incertellus).
Aedes butleri, 87.
ænea, Stenopterina, 96.
affinis, Pempheres, 243.*
Agriocnemis clauseni, 53*; A. d'abreui, 52*; A. incisa,* t. 6. f. 6; A. nana,* t. 6. f. 2; A. pygmæa,* t. 6. f. 5; A. splendidissima,* t. 6. f. 3.
Agromyzidæ from Khasi Hills, 96.
Alastor punjabensis, 30.*
albicincta, Exechia, 119.
albimedius, Tabanus, 105.
albomaculata, Musca, 99.
Allactoneura cincta, 84.
Allodahlia macropyga, 223.
Amalopis novempunctata, 90, 138.*
Ampsalis longispinus, 90.
andropoginis, Contarinia, 25.*
andropoginis, Dyodiplosis, 15.
Anechura stoliczkai, 224.*
annandalei, Euborellia, 205.
annulipes, Euborellia, 206.
annulipes, Mansonioides, 87.
Anopheles gigas, 86; A. maculatus, 86.
Anthomyiadæ from Khasi Hills, 98.
Aphiochæta flavifacioides, 93, 153.
apicalis, Armigeres, 86.
apicis, Hybos, 92.
apludæ, Orseoliella, 8.
arachidis, Prolabia, 218.
arachnoides, Pseudocopera, 56.
argyrogyna, Platypeza, 93.
Armigeres apicalis, 86; A. obturbans, 86.
artocarpi, Cecidomyia, 27.
asiatica, Azana, 116.*
Asilidæ from Khasi Hills, 91.
Asphondylia lantanæ, 2; A. osbeckiæ, 83 107*; A. phyllanthi, 2; A. pongamiæ, 24.
assamensis, Schizomyia, 3.
Atarba flava, 89.
atuberculata, Macromia, 67.
aucta, Calliphora, 99.
aureohirtum, Simulium, 88.
aurifer, Ptecticus, 91.
auriflamma, Tabanus, 104.
auristriatus, Tabanus, 105.
autumnalis, Caconeura, 43.
Azana asiatica, 116.*
azureum, Aciagrion, 51.

B

bainbriggei, Gynacantha, 75.
balteatus, Syrphus, 93.
Bdellolarynx sanguinolentus, 99.
beebei (schlagintweiti), Forficula.
beelzebub, Forficula, 227.
beesoni, Hæmatopota, 107, 145.*
beesoni, Rhinocypha, 61.
bengalensis, Stomoxys, 99.
Bengalia sp., 101.
bezzii, Musca, 99.
Bibionidæ from Khasi Hills, 88.
bicoloripes, Diplatys, 196.*
bicornutus, Gomphus, 72.
bifenestrata, Rhinocypha, 63.*
bifoveolata, Metisolabis, 213.
bilineata, Indolestes, 58.
bilineata, Melanoneura, 55.
bipartitus, Elaunon, 224.
bipunctifer, Schœnobius (Siga incertellus).
bipunctifera, Tipanœa (*Schœnobius*) (Siga incertellus).
bipunctipennis, Teleopsis, 165.*

bsetosus, Hybos, 92.
bisignata, Rhinocypha, 80.*
Bombyliomyia sp., 107.
Borboridæ from Khasi Hills, 96.
Borbororhinia pubescens, 100.
botti, Caconeura, 41.
brevicellulus, Tæniorhynchus, 87.
brevicornis, Exechia, 84, 120.
brunnipennis, Tabanus, 105.
brunniventris, Sciara, 83, 108.
burmanica, Hæmatopota, 107, 147.*
buddha, Indolestes, 57.
butleri, Aedes, 87.

C

Caconeura autumnalis, 43; C. botti, 41; C. nigra, 42; C. theebawi, 40.
calcitrans, Stomoxys, 99.
Calliphora aucta, 99.
Calobata sp., 96.
campioni, Disparoneura, 43.
Camptomyia ricini, 23.
castetsi, Paralabis, 204*
Catagela (Siga)
caudata, Contarinia, 4.
caudatus, Chætodacus, 97.
Cecidomyia artocarpi, 27; C. penniseti, 11.
Cecidomyiadæ from Khasis, 83.
celer (acris), Forficula.
Ceroplatus notaticoxa, 112.*
Chætodacus caudatus, 97; C. scutellaris, 97; C. scutellarius, 97
Chætospania kurseongæ, 215*; C. stiletta, 217.*
Chilo incertulus (Siga incertellus).
Chironomidæ from Khasi Hills, 85.
Chloroidia flavifrons, 100.
Chloropidæ from Khasi Hills, 96.
Chrysomyia megacephala, 99; C. pinguis, 99; C. putoria, 99.
Chrysops dispar, 107; C. flavocincta, 107.
chrysopygus, Megaspis, 94.
cincta, Allactoneura, 84.
cinctiventris, Phorhynchus, 154.*
clauseni, Agriocnemis, 53.*
confrater, Syrphus, 93.
confusus, Gorytes, 29.
conjugens, Gonomyia, 90, 137.*
Conosia irrorata, 90.
consimilis, Pachyrhina, 89.
Contarinia andropoginis, 25;* C. caudata, 4, 16.
cornea, Dyodiplosis, 17.
corona, Idionyx, 64.*
Courteia graminis, 17.
Crabro flavo-nigra, 30.*
Cranopygia raja, 199; C. pluto, 200*; C. kallipyga, 201.
Crapitula melanaspis, 88.
crassirostris, Musca, 99.
Ctenacroscelis dives, 88.
Culex mimeticus, 87; C. tritæniorhynchus, 87,
Culicidæ from Khasi Hills, 86.
Culiciomyia viridiventer, 87; C. univittatus. 87
cuneiformis, Dicranomyia, 89.
cuprina, Synamphoneura, 100.
cyaneo-vittata, Esme, 45.
cynodontis, Orseoliella, 17.

D

dabreui, Agriocnemis, 52.*
decolyi, Forcipula, 211.
demellonis, Hæmatopota, 146.*
despinosa, Forcipula, 212.
Dexiadæ from Khasi Hills, 101.
Diadiplosis indica, 6.
Dicranomyia cuneiformis, 89; D. nitidithorax, 89, 131; D. pulchripennis, 89; D. sordida, 89.
Dilophus gratiosus, 88.
dioctrioides, Texara, 96.
Diopsidæ from Khasi Hills, 97.
Diplatys bicoloripes, 196*; D. lefroyi, 198.
discolor nigripes, Euidiella, 167.
dispar, Chrysops, 107.
Disparoneura campioni, 43.
distincta, Elaphropeza, 152.
distincta, Libnotes, 133.*
dives, Ctenacroscelis, 88.
Dixa montana, 88.
Dixidæ from Khasi Hills, 88.
Dolichopodidæ from Khasi Hills, 93.
Drosophilidæ from Khasi Hills, 96.
Dyodiplosis, key to spp., 17; D. indica, 19; D. monticola, 20; D. plumosa, 21; D. andropoginis, 15; D. fluvialis, 16; D. cornea, 17.

E

echinoccipitalis, Onychogomphus, 74.
Elaphromyia pterocallæformis, 97.
Elaphropeza, key to spp., 149; E. abdominenotata, 151; E. distincta, 152;

E. nigropunctata, 152; E. notatithorax, 151 *; E. plumicornis, 150.*
Elaunon bipartitus, 224.
elegans, Pseudisolabis, 212.
Empidæ from Khasi Hills, 92; new species of 148.
Enallagma parvum, 51.
Eparchus inermis, 237 *; E. insignis, 239.
Ephydridæ from Khasi Hills, 96.
Epilabis penicillata, 204.*
ericetorum, Syrphus, 93.
Eriocera maculipennis, 90; E. plumbolutea, 90; E. semilimpida, 90.
Erioptera grandior, 90; E. incompleta, 135*
Eristalis tenax, 94; E. sp., 94.
errans, Megaspis, 94.
Esme cyaneovittata, 45.
Euborellia annandalei, 205; E. annulipes, 206; E. stali, 206.
Euidiella quadrinotata, 100; E. discolor nigripes, 167; E. nila, 168.
euidielloides, Idiella, 100, 166.
Eumerus sp., 95.
excelsus, Tabanus, 104.
Exechia, key to spp., 118; E. albicincta, 119.
Exechia brevicornis, 84, 120; E. flava, 84, 121; E. longicornis, 84, 120; E. mirastoma, 84, 122; E. paramirastoma, 123.
exigua, Lyperosia, 99.
Exoprosopa insulata, 91; E. latipennis, 91.
Exypnus koorgensis, 218.*

F

ferruginea, Mycomyia, 84.
fici, Horidiplosis, 10.
flava, Atarba, 89.
flava, Exechia, 84, 121.
flavibasis, Metallea, 168.
flavicollis, Sciara, 84.
flavifacioides, Aphiochæta, 93, 153.
flavifrons, Chloroidia, 100.
flaviventris, Microchrysa, 91.
flavocincta, Chrysops, 107.
flavolineata, Thereva, 91.
flavonigra, Crabro, 30.*
fletcheræ, Sciara, 84, 108.
fletcheri, Limnophila, 90, 139.
fletcheri, Proreus, 221.*
fluitans, Lasioptera, 17.
fluvialis, Dyodiplosis, 16.
Forcipula decolyi, 211; F. despinosa, 212; F. lurida, 212.
Forficula acris, 228; F. beelzebub, 227; F. interrogans, 230; F. lebongæ, 226 *; F schlagintweiti, 225.*
formicoides, Nannisolabis, 213.
fumifasciata, Tipula, 89.
fusca, Limnophila, 90.
fuscicauda, Tabanus, 106.
fuscifrons, Hæmatopota, 107.
fuscomaculatus, Tabanus, 106.

G

gautama, Indagrion, 50.
Geranomyia pulchripennis, 89; G. semistriata, 89.
gibsoni, Musca, 99.
gigas, Anopheles, 86.
Gnophomyia strenua, 90; G. sp., 90.
Gomphus bicornutus, 72; G. risi, 73.
Gonomyia conjugens, 90, 137.*
Gorytes confusus, 29.
gossypiella, Platyedra, 171.*
graminicola, Pachydiplosis, 16.
graminis, Courteia, 17.
graminis, Orseoliella, 22.
grandior, Erioptera, 90.
grata, Sadiya, 232.*
gratiosus, Dilophus, 88.
greeni, Paralabis, 203.*
gurneyæ, Simulium, 130.
Gynacantha bainbriggei, 75; G. hanumana, 76.

H

Hæmatopota beesoni, 107, 145*; H. burmanica, 107, 147*; H. demellonis, 146*; H. fuscifrons, 107; H. javana, 107; H. sp., 107; H. striatipennis, 107.
hanumana, Gynacantha, 76.
hearseiana, Sphyracephala, 33.*
helena, Indolestes, 60.*
hemihyalina, Rhinocypha quadrimaculata, 64.*
himalayensis, Tipula, 89.
hirtilineata, Sciara, 84.
hirtilineatoides, Sciara, 84, 110.
hirtistriatus, Tabanus, 105.
Homœolabis maindroni, 202.
Horidiplosis fici, 10.
humilis, Musca, 99.
Hybos apicis, 92; H. bisetosus, 92.

I

Idiella euidielloides, 100, 166.
Idionyx corona corona, 64*; I. corona nilgiriensis, 65; I. ornata, 66.*
ignipennis, Rhinocypha, 13*, 79.*
immaculipennis, Libnotes, 132.
incerta, Musca, 99.
incertellus, Siga, 257.*
incertulus, Chilo (*Schœnobius*) (Siga incertellus)
incisa, Agriocnemis,* t. 6 f. 6.
incompleta, Erioptera, 135.*
inconspicuus, Molophilus, 89.
Indagrion gautama, 50.
indica, Acyphona, 90, 136.*
indica, Diadiplosis, 6.
indica, Dyodiplosis, 19.
indica, Indolestes, 58.
indica, Mycodiplosis, 4.
Indolestes, key to spp., 57; I. helena, 60*; I. indica, 58.
inducta, Lucilia, 100.
inermis, Eparchus, 237.*
inglisi, Stylogomphus, 70.*
insignis, Eparchus, 239.
insulata, Exoprosopa, 91.
interrogans, Forficula, 230.
irrorata, Conosia, 90.
Itonida penniseti, 9; I. seminis, 26.

J

javana, Hæmatopota, 107.
javana, Sphærophoria, 94.
javanica, Orseoliella, 16.
javensis, Pachyrrhina, 89.
jucundus, Tabanus, 105.
juxta, Platyura, 113.

K

kakhyenensis, Tabanus, 104, 143.*
kallipyga, Cranopygia, 201.
Khasi Hills, Diptera from, 83.
khasiensis, Mycetophila, 85, 124.
khasiensis, Pericoma metatarsalis, 85, 125.*
khasiensis, Sciara, 84, 111.
koorgensis, Exypnus, 218.*
kurseongæ, Chætospania, 215.*

L

Labia pilicornis, 217.
Labidura riparia, 207.
laidlawi, Pseudagrion, 48.
lanta, Pseudopyrellia, 99.
lantanæ, Asphondylia, 2.
Lasioptera fluitans, 17.
latipennis, Exoprosopa, 91.
latistriatum, Simulium, 129.
lebongæ, Forficula, 226.*
lefroyi, Diplatys, 198.
Leptogomphus spirillus, 71.*
leucocnematus, Tabanus, 104.
Libnotes, key to spp., 132; L. distincta, 133*; L. immaculipennis, 132.
Limnophila fletcheri, 90, 139; L. fusca, 90; L. multipunctipennis, 90, 140.*
lineata, Musca, 99.
Lispa sp., 98.
lividipes, Nala, 210.
Lonchæa sp., 97.
longicornis, Exechia, 84, 120.
longispinus, Ampsalis, 90.
Lucilia inducta, 100; L. sp., 100.
lunifrons, Platyura, 114.
lurida, Forcipula, 212.
luteifasciata, Staurella, 158.*
Lyperosia exigua, 99.

M

Macromia atuberculata, 67.
macropyga, Allodahlia, 223.
mactans, Sargus, 91.
maculatus, Anopheles, 86.
maculipennis, Negritomyia, 90
maculiventris, Eriocera, 90.
maindroni, Homœolabis, 202.
Manota orientalis, 117.*
Mansonioides annulipes, 87; M. uniformis, 87.
martini, Platygomphus, 68.
megacephala, Chrysomyia, 99.
Megaspis chrysopygus, 94; M. errans, 94; M. zonalis, 95.
melanaspis, Crapitula, 88.
melanocephalus, Proreus, 220.
Melanoneura bilineata, 55.
Melanostoma sp., 94.
Mellesis polistiformis, 156.*
Metallea flavibasis, 168.
metatarsale, Simulium, 88.
metatarsalis khasiensis, Pericoma, 125*
Metisolabis bifoveolata, 213.
Microchrysa flaviventris, 91.
Micropezidæ from Khasi Hills, 96.
Microschœnis (Siga).
mimeticus, Culex, 87.

minutellus, Schœnobius (Siga incertellus).
mirastoma, Exechia, 84, 122.*
Molophilus inconspicuus, 89.
monotæniatus, Tabanus, 105.
montana, Dixa, 88.
monticola, Dyodiplosis, 20.
multipunctipennis, Limnophila, 90, 140*.
Musca albomaculata, 99 ; M. bezzii, 99 ; M. crassirostris, 99 ; M. gibsoni, 99 ; M. humilis. 99 ; M. incerta, 99 ; M. lineata, 99 ; M. nebulo, 98 ; M. pattoni, 99 ; M. ventrosa, 99.
Muscidæ from Khasi Hills, 98.
Mycetophila khasiensis, 85, 124.
Mycetophilidæ from Khasis, 83.
Mycodiplosis indica, 4.
Mycomyia ferruginea, 84 ; M. unifascipennis, 115.*

N

Nala lividipes, 210 ; N. nepalensis, 211.
nana, Agriocnemis,* t. 6 f. 2.
Nannisolabis formicoides, 213.
nebulo, Musca, 99.
Negritomyia maculipennis, 90.
nepalana, Strongyloneura, 100.
nepalensis, Nala, 211.
nigra, Caconeura, 42.
nigripennis, Sciara, 84.
nigripes, Euidiella discolor, 167.
nigritarsis, Sphærophoria, 94.
nigropunctata, Elaphropeza, 152.
nila, Euidiella, 168.
nilgiriensis, Idionyx corona, 65.
nitidithorax, Dicranomyia, 89, 131.
notaticoxa, Ceroplatus, 112.*
notatithorax, Elaphropeza, 151.*
novempunctata, Amalopis, 90, 138.*

O

oannes, Timomenus, 239.
obturbans, Armigeres, 86.
Ochlerotatus ostentatio, 87 ; O. pulchriventer, 87 ; O. vexans, 87.
ochraceus, Tæniorhynchus, 87.
Olbiogaster zeylanicus, 141.*
Onychogomphus echinoccipitalis, 74.
orientalis, Raodiplosis, 7.
ornata, Idionyx, 66.*
orientis, Tabanus, 106.
Orseoliella apludæ, 8 ; O. graminis, 22 ; O. javana, 16 ; O. cynodontis, 17.
Ortalidæ from Khasi Hills, 96.
Orthoneura sp., 94.
oryzæ, Pachydiplosis, 16.
osbeckiæ, Asphondylia, 107.*
ostentatio, Ochlerotatus, 87.
oxyceratus, Tabanus, 106.

P

Pachydiplosis oryzæ, 16, 17 ; P. graminicola 16.
Pachyrrhina consimilis, 89 ; P. javensis, 89 ; P. serricornis, 89.
Palex, 215.
Panalipa (Siga).
Paragus sp., 93.
Paralabis greeni, 203* ; P. castetsi, 204.*
paramirastoma, Exechia, 123.
Pareparchus pelvimeter, 236.*
parvum, Enallagma, 51.
pattoni, Musca, 99.
pattoni, Simulium, 129.
pelvimeter, Pareparchus, 236.*
Pempheres affinis, 243.*
penicillata, Epilabis, 204.*
penniseti, Itonida, 9.
pentadactyla, Trypanea, 164.*
perforata, Rhinocypha,* t. 8 f. 4.
Pericoma metatarsalis khasiensis, 85, 125.*
Phorhynchus cinctiventris, 154.*
Phoridæ from Khasi Hills, 93.
phyllanthi, Asphondylia, 2.
Physocephala sp., 95.
picta, Acrania, 199.
pilicornis, Labia, 217.
pilosa, Polleniopsis, 100.
pinguis, Chrysomyia, 99.
Pipiza sp., 93.
Pipunculidæ from Khasi Hills, 93.
Platyedra gossypiella, 171.*
Platygomphus martini, 68.
Platylabia, 215.
Platypeza argyrogyna, 93.
Platypezidæ from Khasi Hills, 93.
Platyura juxta, 113 ; P. lunifrons, 114.
Plecia tergorata, 88.
plumbolutea, Eriocera, 90.
plumicornis, Elaphropeza, 150.*
plumosa, Dyodiplosis, 21.
pluto, Cranopygia, 200.*
polistiformis, Mellesis, 156.*
Pollenia sp., 100.
Polleniopsis pilosa, 100.
pongamiæ, Asphondylia, 24.

Prolabia arachidis, 218.
Proreus simulans, 219; P. melanocephalus, 220; P. fletcheri, 221.*
Prosadiya, described, 233; P. tricota, 234.*
Prosena sp., 101.
Pseudagrion laidlawi, 48; P. spencei, 47; P. williamsoni, 46.
Pseudisolabis elegans, 212.
Pseudocopera arachnoides, 56.
Pseudopyrellia lauta, 99.
Psychodidæ from Khasi Hills, 85.
Ptecticus aurifer, 91.
pterocallæformis, Elaphromyia, 97.
pubescens, Borbororhinia, 100.
pulchripennis, Dicranomyia, 89.
pulchripennis, Geranomyia, 89.
pulchriventer, Ochlerotatus, 87.
punctatipleura, Rioxa, 160*.
punctellus, Schœnobius (Siga incertellus).
punjabensis, Alastor, 30.*
putoria, Chrysomyia, 99.
pygmæa, Agriocnemis,* t. 6 f. 5.
Pyrellia sp., 99.

Q

quadrimaculata hemihyalina, Rhinocypha, 64.*
quadrimaculata quadrimaculata, Rhinocypha,* t. 8 f. 1.
quadrinotata, Euidiella, 100.
quadrinotata, Tipula, 89.

R

raja, Cranopygia, 199.
Raodiplosis orientalis, 7.
Rhingia sp., 94.
Rhinocypha beesoni, 61; R. bifenestrata, 63 *; R. perforata,* t. 8 f. 4; R. quadrimaculata hemihyalina, 64 *; R. quadrimaculata quadrimaculata,* t. 8 f. 1; R. whiteheadi,* t. 8 f. 3; R. bisignata,* 80; R. ignipennis, 13,* 79.*
Rhipidia zeylanica, 134.*
ricini, Camptomyia, 23.
Rioxa vaga, 97; R. punctatipleura, 160.*
riparia, Labidura, 207.
risi, Gomphus, 73.
rubicundus, Tabanus, 105.

S

Sadiya, described, 230; S. grata, 232.*
sanguinolentus, Bdellolarynx, 99.
Sapromyzidæ from Khasi Hills, 97.
Sarcophagidæ from Khasi Hills, 101.
Sargus mactans, 91.
Schizomyia assamensis, 3.
schlagintweiti, Forficula, 225.*
Schœnobius (Siga) (*bipunctifera*) incertellus, 257.*
Sciara brunniventris, 83, 108; S. flavicollis, 84; S. fletcheræ, 84, 109; S. hirtilineata, 84; S. hirtilineatoides, 84, 110; S. khasiensis, 84, 111; S. nigripennis, 84, S. sp., 84.
scutellaris, Chætodacus, 97.
scutellarius, Chætodacus, 97.
semiflavus, Spongovostox, 214.
semilimpida, Eriocera, 90.
seminis, Itonida, 26.
semistriata, Geranomyia, 89.
Sepsidæ from Khasi Hills, 96.
serricornis, Pachyrrhina, 89.
sexcinctus, Tabanus, 104.
Siga incertellus, 257.*
simulans, Proreus, 219.
Simulidæ from Khasi Hills, 88.
Simulium, key to spp., 127; Simulium aureohirtum, 88; S. gurneyæ, 130; S. latistriatum, 129; S. metatarsale, 88; S. pattoni, 129; S. striatum, 128.
sordida, Dicranomyia, 89.
spencei, Pseudagrion, 47.
Sphærophoria javana, 94; S. nigritarsis, 94; S. viridænea, 94.
Sphyracephala hearseiana, 33.*
spirillus, Leptogomphus, 71.*
splendidissima, Agriocnemis,* t. 6 f. 3.
Spongovostox semiflavus, 214.
stali, Euborellia, 206.*
Staurella luteifasciata, 158;* S. zeylanica, 159.
Stegomyia trilineata, 86.
Stenopterina ænea, 96.
stiletta, Chætospania, 217.*
stoliczkai, Anechura, 224.
Stomoxys bengalensis, 99; S. calcitrans, 99.
Stratiomyiadæ from Khasi Hills, 90.
strenua, Gnophomyia, 90.
striatipennis, Hæmatopota, 107.
striatum, Simulium 128.
striatus, Tabanus, 105.
Strongyloneura nepalana, 100; S. viridana, 100.
Stylogomphus inglisi, 70.*
Synamphoneura cuprina, 100.

Syrphidæ from Khasi Hills, 93.
Syrphus balteatus, 93 ; S. confrater, 93 ; S. ericetorum, 93.

T

Tabanidæ from Khasi Hills, 91 ;—in Forest Research Institute, 103.
Tabanus albimedius, 105 ; T. auriflamma, 104 ; T. auristriatus, 105 ; T. brunnipennis, 105 ; T. excelsus, 104 ; T. fuscicauda, 106 ; T. fuscomaculatus, 106 ; T. hirtistriatus, 105 ; T. jucundus, 105 ; T. kakhyenensis, 104, 143*; T. leucocnematus, 104 ; T. monotæniatus, 105 ; T. orientis, 106 ; T. oxyceratus, 106 ; T. rubicundus, 105 ; T. sexcinctus, 104 ; T. sp., 104, 105, 106 ; T. striatus, 105.
Tachinidæ from Khasi Hills, 101.
Tachydromia zeylanica, 148.
Tæniorhynchus brevicellulus, 87 ; T. ochraceus 87.
Tæniostola vittigera, 97.
Teleopsis sp., 97 ; T. bipunctipennis, 165.*
tenax, Eristalis, 94.
tenebrator, Adiathetus, 223.
tenuipes, Tipula, 89.
Tephritis tribulicola, 97, 161.*
tergorata, Plecia, 88.
testacea, Uranotænia, 88.
Texara dioctrioides, 96.
theebawi, Caconeura, 40.
Thereva flavolineata, 91.
Therevidæ from Khasi Hills, 91.
Timomenus oannes, 239.
Tipanœa bipunctifera(Siga incertellus).
Tipula fumifasciata, 89 ; T. himalayensis, 89 ; T. quadrinotata, 89 ; T. tenuipes, 89.
Tipulidæ from Khasi Hills, 88.
Trentepohlia trentepohlii, 90.
tribulicola, Tephritis, 97, 161.*
tricota, Prosadiya, 234.*
trilineata, Stegomyia, 86.
tritæniorhynchus, Culex, 87.
Trypanea pentadactyla, 164.*
Trypaneidæ from Khasi Hills, 97.
Trypetidæ from Khasi Hills, 97.

U

unifascipennis, Mycomyia, 115.*
uniformis, Mansonioides, 87.
univittatus, Culex, 87.
Uranotænia testacea, 88.

V

vaga, Rioxa, 97.
ventrosa, Musca, 99.
vexans, Ochlerotatus, 87.
viridænea, Sphærophoria, 94.
viridana, Strongyloneura, 100.
viridis, Drepanosticta, 39.
viridiventer, Culiciomyia, 87.
vittigera, Tæniostola, 97.

W

whiteheadi, Rhinocypha,* t. 8 f. 3
williamsoni, Pseudagrion, 46.

Z

zeylanica, Rhipidia, 134*.
zeylanica, Staurella, 159.
zeylanica, Tachydromia, 148.
zeylanicus, Olbiogaster, 141.*
zonalis, Megaspis, 95.

June 1920 Entomological Series. Vol. VII, Nos. 1 & 2

Memoirs of the Department of Agriculture in India

NO. 1. NEW INDIAN GALL MIDGES (*DIPTERA*)

BY

E. P. FELT

State Entomologist of New York, U.S.A

NO. 2. DESCRIPTION OF A RHINOCYPHINE LARVA FROM SHILLONG

BY

MAJOR F. C. FRASER, I.M.S

AGRICULTURAL RESEARCH INSTITUTE, PUSA

PRINTED AND PUBLISHED FOR

THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

BY

THACKER, SPINK & CO., CALCUTTA

W. THACKER & CO., 2, Creed Lane, LONDON

Price, Re. 0-12-0 or 1s. 6d.

6.4.20 ackd.

Edited by

The Council of the Pusa Agricultural Research Institute which is not, as a body, responsible for the opinions expressed in the Memoir.